

Developing a System of Knowledge Bases Using Semantic Schemas in Java and CLIPS

Sorin Dinca

Faculty of Accounting and Financial Management Craiova
Spiru Haret University
sorin.dinca@gmail.com

Claudiu Ionuț Popîrlan

University of Craiova, Department of Computer Science,
Craiova, Romania
popirlan@inf.ucv.ro

Abstract

In this paper a knowledge base system based on semantic schemas are developed. The basic idea of this paper is to develop a literary assistant to assign a particular book to a reader according to the age, education, and interests. The application does not pretend to be a real world system, but it could be a limited version of what it should be. Therefore, it could be used (in large-scale) in a library or bookstore to advise readers which book they should read. For this application implementation we use CLIPS [20] and Java [23].

Keywords: *knowledge base system, semantic schemas*

ACM/AMS Classification: 68U99

1. Introduction

Knowledge-Based Systems ([2], [7], [8]) are the result of a long investigation process performed by Artificial Intelligence scientists. They started to understand that the capabilities of a computer program to solve problems are not the formal expression or the inference logic schemes. Therefore, a Knowledge-Based System is a group of computer programs that tries to simulate a human expert in his field. The idea is to create the expertise of a competent professional, not to replace human thinking by computer program.

In this paper we develop an application based on knowledge bases ([1], [3], [4], [5], [6], [10], [11], [12], [18], [19]) with semantic schemas ([13], [14], [15], [16], [17]) for literary assistant to assign a particular book to a reader according to the age, education, and interests.

2. Application Knowledge Description

It describes the concepts and concept relationships involved in a domain (mechanic, medicine, etc.). The concept is the representative central entity in the domain knowledge. A concept is identified by its name, and refers to abstract entities (patient) or specific entities. It is like the Java class concept. The concepts are described by their properties or attributes, defined by their type and name. The property is the atom of domain knowledge representation. The domain knowledge is composed of three elements: Class Diagram, Expressions Relationship and Knowledge Base.

2.1 Class Diagram

We define the concepts and attributes using UML (Unified Modeling Language), as shown in Figure 1, although we could use other AI modeling languages like KIF (Knowledge Interchange Format).




Figure 1. Application Class Diagram

After drawing the diagram, we will write them in CML (Conceptual Modeling Language) [9]:

```
Concept Person;
Attributes:
Name: String;
Age: Int;
Education: String;
Interests: String;
```

Stage: String;

Concept Reading;

Attributes:

Level: String;

Genre: String;

Concept Book;

Attributes:

Title: String;

Author: String;

2.1 *Expressions Relationship*

They represent relations in an *if...then* rule form: a conditional expression in the antecedent, and assignment expression in the consequent. They suppose a cause-effect association. In our example, the relations are presented in Figures 2, 3, 4 and 5.




Figure 2. Expressions Relationship (a)




Figure 3. Expressions Relationship (b)




Figure 4. Expressions Relationship (c)




Figure 5. Expressions Relationship (d)

3. Knowledge Base using Semantic Schemas

The knowledge-base gets the pairs through different generic rules previously defined. Shown below is a sample instance of the knowledge-base.

Knowledge-base assistant

Expressions

Person.age <= 14

ABSTRACT Person.stage = CHILD

Person.age > 14 AND Person.age <= 18

ABSTRACT Person.stage = TEENAGER

Person.age > 18 AND Person.age <= 35

ABSTRACT Person.stage = YOUNG

Person.age > 35

Person.interests = "Sport" OR Person.interests = "Painting" OR

Person.interests = "Music" OR Person.interests = "Cooking"

Person.education = SECONDARY AND Person.stage = YOUNG

SELECT-LEVEL reader.level = ADVANCED

Person.education = SECONDARY AND Person.stage = ADULT

SELECT-LEVEL reader.level = ADVANCED

```

Person.education = UNIVERSITARY
SELECT-LEVEL reader.level = ADVANCED
reader.level = CHILD AND reading.genre = SCIENCE
SELECT-BOOK Book.title = "Arithmetics handouts"
reader.level = BASIC AND reading.genre = SCIENCE
SELECT-BOOK Book.title = "Basic arithmetics and geometry "
reader.level = INTERMEDIATE AND reading.genre = SCIENCE
SELECT-BOOK Book.title = "Derivatives and integrals"
reader.level = ADVANCED AND reading-type.genre = SCIENCE
SELECT-BOOK Book.title = "Differential equations"
END KNOWLEDGE-BASE assistant-base;

```

3.1 *Inference Knowledge*

Inference knowledge refers to the subtask sets that do not need subsequent decomposition. They are the reasoning primitives and the elemental reasoning steps for task resolution. They are described by specifying the performed function and their input and output. It's important to note that inference description does not imply how it is performed, because it depends strongly on the particular application and domain.

3.2 *Inference Scheme*

As explained before, the inference is the basic reasoning step, but it depends on the domain roles:

Static roles: They are the domain elements that are used in the reasoning process but are not affected by it.

Dynamic roles: They are the inference input and output that sign the domain elements that will be used during the reasoning process.

```

INFERENCE Abstract
ROLES
INPUT: Person;
OUTPUT: Stage;
STATIC: Abstraction-model;
SPECIFICATION:
"Abstracts the age of a person"
END INFERENCE Abstract;
INFERENCE Select-genre
ROLES
INPUT: Interest;
OUTPUT: Genre;
STATIC: Preferences-model;

```

```

SPECIFICATION:
"Selects a genre according to the user's interests"
END INFERENCE Abstract;
INFERENCE Select-level
ROLES
INPUT: Education,Stage;
OUTPUT: Level;
STATIC: Level-model;
SPECIFICATION:
"Selects a level according to the user's education and stage"
END INFERENCE Abstract;
INFERENCE Select-book
ROLES
INPUT: Genre, Level;
OUTPUT: Book;
STATIC: Book-selection-model;
SPECIFICATION:
"Assigns a book according to the user's level and selected genres"
END INFERENCE Abstract;

```

3.3 Domain Connection

After modeling the inference knowledge, it is necessary to describe its connection with the elements of the knowledge domain. In our example, its results are shown in Figure 6.




Figure 6. Domain Connection

To implement the example, I chose to use CLIPS, an expert system tool with these important features:

Knowledge representation: CLIPS provides a cohesive tool for handling a wide variety of knowledge with support for three different programming paradigms: rule-based, object-oriented, and procedural.


Integration/Extensibility: CLIPS can be embedded within procedural code, called as a subroutine, and integrated with languages such as Java.

4. Java Implementation and results

The simplest form to embed the CLIPS source into Java is to include the header file through the extern keyword in the Eclipse project [21]. Next, we will call *InitializeEnvironment* to run the CLIPS engine, and call *Load* to load the file containing the source.

In Figure 7 is presented the Java application based on knowledge bases with semantic schemas for literary assistant to assign a particular book to a reader according the age, education, and interests. The results are presented using CLIPS file with 24 domain of interest: 1. *Music*, 2. *Painting*, 3. *Movies*, 4. *Sculpture*, 5. *Theater*, 6. *Poetry*, 7. *Novel*, 8. *Tales*, 9. *Biology*, 10. *Physics*, 11. *Chemistry*, 12. *Mathematics*, 13. *Logic*, 14. *Ethics*, 15. *Politics*, 16. *Metaphysics*, 17. *History*, 18. *Biographies*, 19. *Archeology*, 20. *Computers*, 21. *Design*, 22. *Constructions*, 23. *Electronics*, 24. *Mechanics*.

If is typed an age and an education that do not have a logic match, the system will not return any suggestion.



```
Dialog Window
-----
Other interests? (No = Type 0; Yes = Type 1 - 24)
11
1. Music          2. Painting      3. Movies       4. Sculpture
5. Theater       6. Poetry       7. Novel        8. Tales
9. Biology       10. Physics     11. Chemistry   12. Maths
13. Logic        14. Ethics      15. Politics    16. Metaphysics
17. History      18. Biographies 19. Archeology  20. Computers
21. Design       22. Construction 23. Electronics 24. Mechanics

0. Exit
-----
Other interests? (No = Type 0; Yes = Type 1 - 24)
15
1. Music          2. Painting      3. Movies       4. Sculpture
5. Theater       6. Poetry       7. Novel        8. Tales
9. Biology       10. Physics     11. Chemistry   12. Maths
13. Logic        14. Ethics      15. Politics    16. Metaphysics
17. History      18. Biographies 19. Archeology  20. Computers
21. Design       22. Construction 23. Electronics 24. Mechanics

0. Exit
-----
Other interests? (No = Type 0; Yes = Type 1 - 24)
0
*What is your education?: 1. Grammar school  2. School  3. Secondary  4. University
3
According to this data, you should read: Descartes' philosophy
According to this data, you should read: Differential equations
According to this data, you should read: Don Quixote
CLIPS> |
```

Figure 6. Java implementation and Results

5. Conclusions

The development of Knowledge-Based Systems is not sufficiently standardized. KADS (Knowledge Acquisition Design System) is a results-oriented methodology, an emerging European methodology to develop Knowledge-Based Systems - funded as an ESPRIT project [22]. In this paper, according with KADS, an application based on knowledge bases with semantic schemas for literary assistant to assign a particular book to a reader according the age, education, and interests was developed. The Java application using CLIPS and interrogation results based on domain interest was presented.

References

1. Chein, M., Mugnier, M.L., *Graph-based Knowledge Representation- Computational Foundations of Conceptual Graphs*, Series: Advanced Information and Knowledge Processing, Springer (2008)
2. Hayes-Roth, F., Waterman, D., Lenat, D., *Building Expert Systems.*, Addison-Wesley, ISBN 0-201-10686-8 (1983)
3. Miranda, E., Zaffalon, M., *Coherence graphs.*, Artificial Intelligence, Volume 173, Issue 1, 104–144 (2009)
4. Popirlan C.I., Tandareanu, N., *An Extension of Inheritance Knowledge Bases and Computational Properties of their Answer Functions*, Annals of the University of Craiova, Mathematics and Computer Science Series 35, 149–170 (2008)
5. Popirlan, C.I., *A Java Implementation of Modeling Results About Stratified Graphs*, 4th Romanian Conference on Artificial Intelligence and Digital Communications Research Notes in Artificial Intelligence and Digital Communications, 31–38 (2004)
6. Popirlan, C.I., *A solution based on intelligent software agents to improve the data searching in the contact centers*, In: Proceedings - 2011 6th IEEE Joint International Information Technology and Artificial Intelligence Conference, ITAIC 2011 2, 1–5 (2011)
7. Popirlan, C.I., Popirlan, C., *Mobile Agents communication for knowledge representation*, 11th World Multi-Conference on Systemics, Cybernetics and Informatics, (WMSCI 2007), July 8-11, 2007, Orlando, Florida, USA, Volume I, 92–96 (2007)
8. Popirlan, C.I., Popirlan, C., *Using Mobile Agents in User Interfaces Functionality*, Research Notes in Artificial Intelligence and Digital Communications, Vol.106, 62–68 (2006)
9. Schreiber, G., Wielinga, B., Akkermans, H., Van de Velde, W., Anjewierden, A., *CML: The commonKADS conceptual modelling language, A Future for Knowledge Acquisition*, Lecture Notes in Computer Science, Volume 867, 1–25 (1994)
10. Tandareanu, N., *Collaborations between distinguished representatives for labelled stratified graphs*, Annals of the University of Craiova, Mathematics and Computer Science Series, Vol. 30(2), 184–192 (2003)

11. Tandareanu, N., *Distinguished Representatives for Equivalent Labelled Stratified Graphs and Applications*, Discrete Applied Mathematics, vol.144, no.1-2, 183–208 (2004)
12. Tandareanu, N., *Knowledge representation by labeled stratified graphs*, In: Proceedings of the 8th World Multi-Conference on Systemics, Cybernetics and Informatics, Vol. 5, 345–350 (2004)
13. Tandareanu, N., *Semantic Schemas and Applications in Logical Representation of Knowledge*, In: Proceedings of the 10th Int. Conf. on CITSA, July 21-25, Orlando, Florida, Vol. III, 82–87 (2004)
14. Tandareanu, N., *Master-Slave Systems of Semantic Schemas and Applications*, The 10th IASTED International Conference on Intelligent Systems and Control (ISC 2007), November 19-21, Cambridge, Massachusetts, USA, 150–155 (2007)
15. Tandareanu, N., *Cooperating Systems Based on Maximal Graphs in Semantic Schemas*, In: Proceedings of the 11th WSEAS International Multiconference CSCC (Circuits, Systems, Communications, Computers), Vol. 4, Crete Island, Greece, July 23-28, 517–522 (2007)
16. Tandareanu, N., *Cross-Deduction Based on Maximal Elements in Semantic Schemas*, 11th World Multiconference on Systemics, Cybernetics and Informatics (WMSCI 2007), Orlando, USA, July 8-11, Vol.I, 97–102 (2007)
17. Tandareanu, N., *An Extension of Semantic Schemas to Represent Multiple Meanings*, International Multi-Conference on Engineering and Technological Innovation (IMETI 2008), June 29th- July 2nd, USA, Vol.I, 143-148 (2008)
18. Tandareanu, N., Popirlan, C.I., *Factorization of an Inheritance Knowledge Base (I)*, Annals of University of Craiova, Mathematics and Computer Science Series 37(2), 62–74 (2010)
19. Tandareanu, N., Popirlan, C.I., *Factorization of an Inheritance Knowledge Base (II)*, Annals of University of Craiova, Mathematics and Computer Science Series 37(4), 1–8 (2010)
20. *** *CLIPS - A Tool for Building Expert Systems*,
<http://clipsrules.sourceforge.net/>
21. *** *Eclipse - Java IDE*,
<http://eclipse.org/>
22. *** *ESPRIT Project*,
<http://cordis.europa.eu/esprit/home.html>
23. *** *Java Technologies Overview*,
<http://www.oracle.com/technetwork/java/index.html>

